

Модель насоса насосной станции	Характеристика двигателя, кВт/Об	Подача, м ³ /час (N — количество насосов)					Напор, м
		N = 2	N = 3	N = 4	N = 5	N = 6	
АНС-2-КММ-40-25-160/2-5	2,2/3000	12,5	19,0	25,0	32,0	38,0	32
АНС-2-КММ-40-25-160а/2-5	1,5/3000	12,5	19,0	25,0	32,0	38,0	26
АНС-2-КММ-40-25-160б/2-5	1,5/3000	12,5	19,0	25,0	32,0	38,0	20
АНС-2-КММ-40-25-200/6-5	0,75/1000	10,0	15,0	20,0	25,0	30,0	6
АНС-2-КММ-40-32-160/6-5	0,75/1000	6,0	9,0	12,0	15,0	18,0	4
АНС-2-КММ-40-32-180/2-5	3,0/3000	20,0	30,0	40,0	50,0	60,0	45
АНС-2-КММ-40-32-180а/2-5	2,2/3000	12,5	19,0	25,0	32,0	38,0	40
АНС-2-КММ-50-32-125/2-5	1,5/3000	25,0	38,0	50,0	63,0	75,0	20
АНС-2-КММ-50-32-125а/2-5	1,5/3000	25,0	38,0	50,0	63,0	75,0	16
АНС-2-КММ-50-32-125б/2-5	1,5/3000	25,0	38,0	50,0	63,0	75,0	12
АНС-2-КММ-50-32-200/2-5	5,5/3000	25,0	38,0	50,0	63,0	75,0	50
АНС-2-КММ-50-32-200/4-5	1,1/1500	12,5	19,0	25,0	32,0	38,0	12,5
АНС-2-КММ-50-32-200а/2-5	4,0/3000	25,0	38,0	50,0	63,0	75,0	40
АНС-2-КММ-50-32-200б/2-5	3,0/3000	25,0	38,0	50,0	63,0	75,0	32
АНС-2-КММ-50-32-200д/2-5	5,5/3000	25,0	38,0	50,0	63,0	75,0	60
АНС-2-КММ-50-32-200д/4-5	1,1/1500	12,5	19,0	25,0	32,0	38,0	15
АНС-2-КММ-65-50-125/2-5	2,2/3000	50,0	75,0	100,0	125,0	150,0	20

AHC-2-KMM-65-50-160/2-5	5,5/3000	50,0	75,0	100,0	125,0	150,0	32
AHC-2-KMM-65-50-160a/2-5	4,0/3000	50,0	75,0	100,0	125,0	150,0	26
AHC-2-KMM-65-50-1606/2-5	3,0/3000	50,0	75,0	100,0	125,0	150,0	20
AHC-2-KMM-65-50-200/2-5	7,5/3000	50,0	75,0	100,0	125,0	150,0	50
AHC-2-KMM-65-50-200/4-5	1,5/1500	25,0	38,0	50,0	63,0	75,0	12,5
AHC-2-KMM-65-50-200a/2-5	7,5/3000	50,0	75,0	100,0	125,0	150,0	40
AHC-2-KMM-65-50-200a/4-5	1,1/1500	25,0	38,0	50,0	63,0	75,0	10
AHC-2-KMM-65-50-2006/4-5	1,1/1500	25,0	38,0	50,0	63,0	75,0	7
AHC-2-KMM-65-50-20062-5	5,5/3000	50,0	75,0	100,0	125,0	150,0	32
AHC-2-KMM-65-50-250/2-5	18,5/3000	50,0	75,0	100,0	125,0	150,0	80
AHC-2-KMM-65-50-250/4-5	2,2/1500	25,0	38,0	50,0	63,0	75,0	20
AHC-2-KMM-65-50-250a/2-5	15,0/3000	50,0	75,0	100,0	125,0	150,0	70
AHC-2-KMM-65-50-250a/4-5	2,2/1500	25,0	38,0	50,0	63,0	75,0	17,5
AHC-2-KMM-65-50-2506/2-5	11,0/3000	50,0	75,0	100,0	125,0	150,0	60
AHC-2-KMM-65-50-2506/4-5	2,2/1500	25,0	38,0	50,0	63,0	75,0	15
AHC-2-KMM-80-50-200/2-5	11,0/3000	100,0	150,0	200,0	250,0	300,0	50
AHC-2-KMM-80-50-200/4-5	2,2/1500	50,0	75,0	100,0	125,0	150,0	12,5
AHC-2-KMM-80-50-200a/2-5	11,0/3000	100,0	150,0	200,0	250,0	300,0	40
AHC-2-KMM-80-50-200a/4-5	1,5/1500	50,0	75,0	100,0	125,0	150,0	10

AHC-2-KMM-80-50-2006/2-5	7,5/3000	100,0	150,0	200,0	250,0	300,0	32
AHC-2-KMM-80-50-2006/4-5	1,1/1500	50,0	75,0	100,0	125,0	150,0	7
AHC-2-KMM-80-50-250/2-5	22,0/3000	100,0	150,0	200,0	250,0	300,0	80
AHC-2-KMM-80-50-250/4-5	3,0/1500	50,0	75,0	100,0	125,0	150,0	20
AHC-2-KMM-80-50-250a/2-5	22,0/3000	100,0	150,0	200,0	250,0	300,0	70
AHC-2-KMM-80-50-250a/4-5	3,0/1500	50,0	75,0	100,0	125,0	150,0	17,5
AHC-2-KMM-80-50-2506/2-5	18,5/3000	100,0	150,0	200,0	250,0	300,0	60
AHC-2-KMM-80-50-2506/4-5	2,2/1500	50,0	75,0	100,0	125,0	150,0	15
AHC-2-KMM-80-65-160/2-5	7,5/3000	100,0	150,0	200,0	250,0	300,0	32
AHC-2-KMM-80-65-160a/2-5	7,5/3000	100,0	150,0	200,0	250,0	300,0	26
AHC-2-KMM-80-65-1606/2-5	5,5/3000	100,0	150,0	200,0	250,0	300,0	20
AHC-2-KMM-100-65-200/2-5	22,0/3000	200,0	300,0	400,0	500,0	600,0	50
AHC-2-KMM-100-65-200/4-560	3,0/1500	100,0	150,0	200,0	250,0	300,0	12,5
AHC-2-KMM-100-65-200a/2-5	18,5/3000	200,0	300,0	400,0	500,0	600,0	40
AHC-2-KMM-100-65-200a/4-5	2,2/1500	100,0	150,0	200,0	250,0	300,0	10
AHC-2-KMM-100-65-2006/2-5	11,0/3000	200,0	300,0	400,0	500,0	600,0	32
AHC-2-KMM-100-65-2006/4-5	2,2/1500	100,0	150,0	200,0	250,0	300,0	7
AHC-2-KMM-100-65-200B/2-5	18,5/3000	200,0	300,0	400,0	500,0	600,0	45
AHC-2-KMM-100-65-200B4-5	2,2/1500	100,0	150,0	200,0	250,0	300,0	4

AHC-2-KMM-100-80-160/2-5	15,0/3000	200,0	300,0	400,0	500,0	600,0	32
AHC-2-KMM-100-80-160a/2-5	11,0/3000	200,0	300,0	400,0	500,0	600,0	26
AHC-2-KMM-100-80-160б/2-5	11,0/3000	200,0	300,0	400,0	500,0	600,0	20
AHC-2-KMM-100-80-160в/2-5	7,5/3000	200,0	300,0	400,0	500,0	600,0	16
AHC-2-KMM-125-100-250/2-5	75,0/3000	400,0	600,0	800,0	1000,0	1200,0	80
AHC-2-KMM-125-100-250/4-5	11,0/1500	200,0	300,0	400,0	500,0	600,0	20
AHC-2-KMM-125-100-250a/2-5	75,0/3000	400,0	600,0	800,0	1000,0	1200,0	70
AHC-2-KMM-125-100-250a/4-5	7,5/1500	200,0	300,0	400,0	500,0	600,0	17,5
AHC-2-KMM-125-100-250б/2-5	55,0/3000	400,0	600,0	800,0	1000,0	1200,0	60
AHC-2-KMM-125-100-250б/4-5	7,5/1500	200,0	300,0	400,0	500,0	600,0	15
AHC-2-KMM-125-100-250г/2-5	75,0/3000	400,0	600,0	800,0	1000,0	1200,0	90
AHC-2-KMM-125-100-250г/4-5	11,0/1500	200,0	300,0	400,0	500,0	600,0	22,5
AHC-2-KMM-150-125-250/2-5	110,0/3000	800,0	1200,0	1600,0	2000,0	2400,0	80
AHC-2-KMM-150-125-250/4-5	15,0/1500	400,0	600,0	800,0	1000,0	1200,0	20
AHC-2-KMM-150-125-250/6-5	5,5/1000	200,0	300,0	400,0	500,0	600,0	9,5
AHC-2-KMM-150-125-250a/2-5	110,0/3000	800,0	1200,0	1600,0	2000,0	2400,0	70
AHC-2-KMM-150-125-250a/4-5	15,0/1500	400,0	600,0	800,0	1000,0	1200,0	17,5
AHC-2-KMM-150-125-250a/6-5	5,5/1000	200,0	300,0	400,0	500,0	600,0	7
AHC-2-KMM-150-125-250б/2-5	90,0/3000	800,0	1200,0	1600,0	2000,0	2400,0	60

AHC-2-KMM-150-125-2506/4-5	11,0/1500	400,0	600,0	800,0	1000,0	1200,0	15
AHC-2-KMM-150-125-250B/2-5	75,0/3000	800,0	1200,0	1600,0	2000,0	2400,0	60
AHC-2-KMM-150-125-250r/2-5	75,0/3000	800,0	1200,0	1600,0	2000,0	2400,0	50